

Role of Green Chemistry in Modern Pharmaceutical Analysis

*Ankit Agrawal, Sourabh Jain, Ashutosh Das and Arun Kumar Gupta

Chameli Devi Institute of Pharmacy, Indore, Madhya Pradesh-452020.

*Corresponding author:

Dr. Ankit Agrawal, Associate Professor, Chameli Devi Institute of Pharmacy, Indore, Madhya Pradesh-452020.

Email: agrawalankit.ash@gmail.com

Article Info

Received: 17.08.2026

Accepted: 20.09.2026

Published: 10.10.2026



© 2026 by the authors. The terms and conditions of the Creative Commons Attribution (CC BY) license

ABSTRACT

Green chemistry is an important approach to sustainable chemical science that aims to minimize the use and generation of hazardous substances while reducing environmental pollution and protecting human health. In pharmaceutical analysis, the application of green chemistry principles has gained increasing attention as conventional analytical methods often involve hazardous organic solvents, toxic reagents, excessive chemical consumption, and energy-intensive procedures. Green analytical chemistry addresses these concerns by promoting safer solvents, waste minimization, energy-efficient techniques, and environmentally sustainable analytical practices without compromising analytical accuracy, precision, or reliability. This review discusses the fundamental principles of green chemistry and their relevance to pharmaceutical analysis, with particular emphasis on green chromatographic techniques, environmentally friendly spectroscopic methods, microwave-assisted extraction, supercritical fluid chromatography, and miniaturized analytical systems. The major benefits, including improved laboratory safety, reduced environmental impact, and efficient resource utilization, are also examined. Furthermore, the review highlights key challenges associated with implementation, such as initial investment costs, method validation requirements, regulatory considerations, and the need for specialized training. Finally, emerging technological developments and future opportunities for integrating sustainable analytical practices into pharmaceutical research, quality control, and drug development are discussed. The adoption of green analytical methodologies can contribute to safer, more efficient, and environmentally responsible pharmaceutical analysis.

Keywords: Green chemistry, Health risks, Environmental impact, Pharmaceutical analysis, Toxic reagents.

INTRODUCTION

Pharmaceutical analysis is essential for ensuring the safety, efficacy, and quality of drug products. Traditionally, analytical techniques in the pharmaceutical industry have depended on hazardous reagents, toxic organic solvents, and energy-intensive procedures. In response to increasing environmental concerns and the demand for sustainable development, the principles of green chemistry have gained significant attention. By promoting safer chemicals, reducing waste, minimizing energy consumption, and encouraging environmentally benign solvents and methods, green chemistry offers a more sustainable and responsible approach to pharmaceutical analysis, helping to reduce the ecological impact of drug development and quality control processes. [1-3] Green chemistry often referred to as sustainable chemistry focuses on designing chemical products and processes that minimize or eliminate the use and generation of hazardous substances. In the context of pharmaceutical analysis, it seeks to refine analytical methods so they are

environmentally responsible while still ensuring precision, accuracy, and reliability. This review highlights the core principles of green chemistry, examines their practical application in pharmaceutical analysis, and discusses the challenges and future opportunities associated with their implementation. [4-6]

PRINCIPLES OF GREEN CHEMISTRY

Green chemistry is guided by 12 foundational principles formulated by Paul Anastas and John Warner. These principles provide a structured approach to developing safer, more efficient, and environmentally sustainable chemical processes (Figure 1), aiming to reduce ecological impact and enhance the sustainability of chemical production and analysis. [4] Prevention of Waste: It is better to prevent waste than to treat or clean up waste after it is formed. [4] Atom Economy: Maximizing the incorporation of all materials used in the

process into the final product. [4] Less Hazardous Chemical Synthesis: Design chemical syntheses to be less hazardous and to use safer chemicals. [4] Design Safer Chemicals and Products:

Create chemicals and products that are less toxic to human health and the environment. [4] Safer Solvents and Auxiliaries: Minimize the use of hazardous solvents and reagents. [4]



Figure 1. Principles of green chemistry.

Energy Efficiency: Reduce energy requirements in chemical processes, preferably at ambient temperature and pressure. [4] **Use of Renewable Feedstocks:** Use renewable raw materials or feedstocks wherever possible. [4] **Reduce Derivatives:** Minimize the use of unnecessary derivatization (e.g., protecting groups). [4] **Catalysis:** Use catalytic reactions rather than stoichiometric ones to reduce waste. [4] **Design for Degradation:** Design chemical products to break down into non-toxic components after their use. **Real-Time Analysis for Pollution Prevention:** Develop in-process monitoring to reduce or

eliminate hazardous waste. [4] **Inherently Safer Chemistry for Accident Prevention:** Choose substances that minimize the risk of accidents. [4]

BENEFITS OF GREEN CHEMISTRY

Green chemistry offers multiple advantages that support environmental sustainability, (Figure 2) economic growth, and public health. [1,5-7]




Figure 2. Benefits of green chemistry.

Economical-Reduces material use, waste disposal expenses, and long-term operational costs. [1,5] Energy-efficient - Promotes processes that consume less energy, lowering overall resource demand. [1,5] Lowers production and regulatory costs - Minimizes the need for hazardous waste treatment and regulatory compliance related to toxic substances. [1,6] Reduces waste generation - Encourages cleaner processes that prevent waste at the source rather than treating it after formation. [5,7] Decreases accidents - Limits the handling and storage of hazardous chemicals, reducing risks of spills, fires, and explosions. [4,6] Safer products - Designs chemical products with reduced toxicity and environmental impact. [4] Healthier workplaces and communities - Reduces exposure to harmful chemicals for workers and surrounding populations. [1,6] Protects human health and the environment - Supports

sustainable practices that safeguard ecosystems and public well-being. [1,6]

GREEN CHEMISTRY IN PHARMACEUTICAL ANALYSIS

Green Analytical Chemistry (GAC) aims to make analytical methods more environmentally (Figure 3) sustainable by reducing waste, limiting the use of hazardous substances, and improving overall process efficiency. It applies the principles of green chemistry specifically to analytical practices, particularly in pharmaceutical analysis. [5-7]




Figure 3. Green chemistry in pharmaceutical analysis.

Several environmentally friendly strategies have been developed and implemented under GAC principles. [5-7]

Reduction of Hazardous Solvents

This involves minimizing or eliminating the use of toxic organic solvents by replacing them with safer alternatives such as water, ethanol, or supercritical fluids. Such substitutions significantly reduce environmental and health risks. [2,3,8]

Minimization of Waste

GAC promotes reducing reagent consumption and limiting waste generation during analysis. This can be achieved through microscale techniques, efficient method design, and recycling materials whenever possible. [5,7]

Energy Efficiency

Lowering energy consumption is another key objective. This includes adopting analytical techniques that operate at room temperature, require shorter processing times, or utilize energy-efficient instrumentation. [1,5]

Atom Economy

Atom economy focuses on maximizing the use of all reactants in a chemical process so that the greatest possible proportion is converted into the desired product. By improving reaction efficiency and minimizing by-products, this approach reduces waste generation and enhances sustainability. [4,5]

Green Chromatographic Techniques

Conventional chromatographic methods often depend on hazardous organic solvents. In green analytical practices, safer alternatives such as water, ethanol, or eco-friendly solvent mixtures are used, particularly in techniques like High-Performance Liquid Chromatography. This shift significantly lowers environmental impact and improves laboratory safety in pharmaceutical analysis. [3,8]

Microwave-Assisted Extraction (MAE)

Microwave-Assisted Extraction utilizes microwave energy to efficiently extract active pharmaceutical ingredients (APIs) from natural sources or formulations. Compared to traditional extraction methods, MAE reduces solvent consumption, shortens extraction time, and lowers energy usage, making the process more sustainable and environmentally friendly. [9]

Green Spectroscopy

Green spectroscopy emphasizes non-destructive and reagent-free analytical techniques. Methods such as UV-Visible Spectroscopy, Fourier Transform Infrared Spectroscopy, and Near-Infrared Spectroscopy allow qualitative and quantitative analysis of pharmaceutical compounds without requiring toxic chemicals. This minimizes waste production and reduces exposure to hazardous substances. [10,11]

Supercritical Fluid Chromatography (SFC)

Supercritical Fluid Chromatography uses supercritical carbon dioxide (CO₂) as the primary mobile phase instead of conventional organic solvents. Supercritical CO₂ is non-toxic, inexpensive, and easily removed after analysis. Its use significantly reduces reliance on hazardous solvents, making chromatographic analysis more environmentally friendly and sustainable. [3,8]

Biocatalysis in Pharmaceutical Synthesis

Biocatalysis involves the use of natural catalysts, such as enzymes, to carry out chemical reactions in pharmaceutical synthesis and analysis. These biocatalysts offer high selectivity and operate under mild conditions, reducing the need for toxic reagents and harsh solvents. As a result, biocatalytic processes are safer, more efficient, and environmentally sustainable. [4,6]

Miniaturization and Green Chemistry

Miniaturization techniques play a key role in advancing green chemistry principles. Technologies such as microfluidics and Lab-on-a-Chip systems allow analytical procedures to be performed using extremely small volumes of chemicals and solvents. By reducing reagent consumption, waste generation, and operational costs, these methods contribute to more sustainable and efficient pharmaceutical analysis. [5-7]

CHALLENGES IN IMPLEMENTING GREEN CHEMISTRY IN PHARMACEUTICAL ANALYSIS

Developing new green analytical methods and acquiring specialized eco-friendly instruments can be expensive. [1,2] Small-scale pharmaceutical companies and laboratories may find these costs prohibitive, limiting adoption. [1,2] Green analytical techniques must comply with applicable regulatory and analytical validation requirements. [13] Approval for new methods can be time-consuming and complex, slowing down implementation. [13] Many professionals in the pharmaceutical sector are not fully educated on the principles and benefits of green chemistry. [1,2] Without proper training, the integration of green techniques into routine analysis can be limited or inconsistent. [1,2]

FUTURE PROSPECTS OF GREEN CHEMISTRY IN MODERN PHARMACEUTICAL ANALYSIS

Green chemistry is reshaping pharmaceutical analysis by minimizing environmental impact, reducing hazardous chemical use, and improving cost efficiency while maintaining analytical performance. The future prospects are promising due to regulatory pressure, technological innovation, and sustainability goals across the pharmaceutical industry. [1,2,5-7]

ACKNOWLEDGMENT

The authors express sincere thanks to Head of Chameli Devi Institute of Pharmacy, Indore, Madhya Pradesh for the facilities provided to carry out this research work.

CONFLICT OF INTERESTS

This Manuscript the authors declare no conflict of interest

ETHICS APPROVAL

Not applicable

FUNDING

This study received no specific funding from public, commercial, or not-for-profit funding agencies.

AI TOOL DECLARATION

The authors declare that no AI and related tools are used to write the scientific content of this manuscript.

DATA AVAILABILITY

Data will be available on based on their request

REFERENCES

1. Singh P, Tiwari A, Chhabda S, Patidar V, Chouhan B. Advancing pharmaceutical chemistry through green analytical methods: A comprehensive review. *Int J Green Pharm.* 2025;19(1):1-15.
2. Mehta M, Mehta D, Mashru R. Recent application of green analytical chemistry: eco-friendly approaches for pharmaceutical analysis. *Future J Pharm Sci.* 2024;10:83.
3. Abd-Elhafeez SM, Arafa MM, Amro FH, Sayed Youssef F. Green analytical chemistry to eco-friendly HPLC techniques in pharmaceutical analysis: A review. *Egypt Vet J Sci.* 2024;55(2):145-160.
4. Anastas PT, Warner JC. *Green chemistry: Theory and practice.* New York: Oxford University Press; 1998.
5. Gałuszka A, Migaszkowski Z, Namieśnik J. The 12 principles of green analytical chemistry. *TrAC Trends Anal Chem.* 2013;50:78-84.
6. Armenta S, Garrigues S, de la Guardia M. Green analytical chemistry. *TrAC Trends Anal Chem.* 2008;27(6):497-511.
7. Tobiszewski M, Marć M, Gałuszka A, Namieśnik J. Green analytical chemistry metrics. *Anal Bioanal Chem.* 2015;407:7441-7451.
8. Doğan A, Eylem CC, Başcı Akduman NE. An overview of green chromatographic analysis from pharmaceutical preparations. *Curr Anal Chem.* 2021;17(6):841-852.
9. Manousi N. Current applications of green sample preparation in pharmaceutical analysis. In: Pena-Pereira F, Tobiszewski M, editors. *Green Sample Preparation Techniques.* Cambridge: Royal Society of Chemistry; 2023. p. 364-391.
10. Katamesh NS, Abbas AEF, Mahmoud SA. Green micellar UPLC and eco-friendly spectroscopic techniques for simultaneous analysis of anti-COVID drugs. *BMC Chem.* 2024;18:112.
11. Naz A, Tabish I, Naseer A, et al. Green chemistry approach: FT-IR based method for assay of entecavir in bulk and dosage form. *Future J Pharm Sci.* 2021;7:94.
12. Eldin AB, Ismaiel OA, Hassan WE, Shalaby AA. Green analytical chemistry: Opportunities for pharmaceutical quality control. *J Anal Chem.* 2016;71(9):861-871.
13. International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH). *ICH Q2 (R1): Validation of analytical procedures: Text and methodology.* Geneva: ICH; 2005.